


# Gray Scale: OSD Standard Profile calibrated

ASUS MX25AQ - sRGB


Portrait Display Calman Ultimate | Target: Avg. DeltaE < 2.0 | CCT 6500K | Gamma 2.2




## Grayscale - Multi




Avg dE2000: 0.6




Avg CCT: 6483



Contrast Ratio: 1130




Average Gamma: 2.18



### Current Reading

x: 0.3129    y: 0.3296  
u': 0.1977    v': 0.4686  
cd/m<sup>2</sup>: 200.142  
ΔE 2000: 0.38



	0	5	10	15	20	25	30	35	40	45	50	55	60	65
x: CIE31	0.2577	0.3111	0.3142	0.3124	0.3142	0.3121	0.3130	0.3136	0.3136	0.3138	0.3127	0.3127	0.3126	0.3126
y: CIE31	0.2565	0.3286	0.3309	0.3271	0.3294	0.3304	0.3307	0.3309	0.3309	0.3305	0.3305	0.3298	0.3301	0.3307
Y	0.1771	0.8608	2.0109	3.7924	6.3331	10.2811	14.3085	20.1095	26.3365	34.1154	43.1601	52.7092	63.6909	76.6995
Target Y	0.0000	0.8055	2.0674	3.8792	6.6257	10.2612	14.4646	19.9939	26.5925	34.3126	43.2028	52.4874	63.7546	76.3194
Gamma Log/Log	1.2778	1.8308	2.0150	2.0834	2.1456	2.1475	2.1794	2.1830	2.2133	2.2218	2.2258	2.2251	2.2414	2.2343
CCT	17181.0000	6594.0000	6411.0000	6533.0000	6422.0000	6528.0000	6477.0000	6443.0000	6444.0000	6437.0000	6495.0000	6500.0000	6503.0000	6499.0000
ΔE 2000	1.1334	0.1816	0.2692	0.4141	0.4937	0.5874	0.5590	0.5354	0.5958	0.4568	0.7500	0.4562	0.6728	1.1159
ΔE ITP	58.4322	2.3716	1.3227	1.1887	2.4751	0.7171	0.8976	0.7108	0.9160	0.7204	0.6364	0.4449	0.5254	0.8714





# Color Space: OSD Standard Profile calibrated

ASUS MX25AQ - sRGB

Portrait Display Calman Ultimate | Target: 99 %




## Color Gamut



## Current Reading

x: 0.3128    y: 0.3296  
fL: 58.42  
cd/m<sup>2</sup>: 200.17



	White	Red	Green	Blue	Cyan	Magenta	Yellow	100W
x: CIE31	0.3136	0.6448	0.3007	0.1513	0.2252	0.3190	0.4203	0.3128
y: CIE31	0.3306	0.3292	0.6014	0.0660	0.3309	0.1532	0.5072	0.3296
Y	104.2679	21.6892	74.1469	8.3461	82.2727	29.2226	95.9032	200.17
Target Y	104.2889	22.1777	74.5831	7.5282	82.1112	29.7058	96.7607	200.17
ΔE 2000	0.7664	0.6097	0.2044	1.6358	0.4927	0.3689	0.2951	0.4535
ΔE ITD	0.6546	0.6746	0.8526	5.6002	0.6045	1.7170	1.5112	0.2542

# ColorChecker: OSD Standard Profile calibrated

ASUS MX25AQ - sRGB




Portrait Display Calman Ultimate | Target: Avg. DeltaE < 2.5 | Max. DeltaE < 4.5



## ColorChecker

Display analysis is performed with the X-Rite/Pantone ColorChecker® target colors.

dE Formula: 2000



Avg dE2000: 0.37

Max dE2000: 1.62

Current Reading

x: 0.4476 y: 0.3837

fl: 19.94

cd/m<sup>2</sup>: 68.31

	White	Gray 80	Gray 65	Gray 50	Gray 35	Black	Dark Skin	Light Skin	Blue Sky	Foliage	Blue Flower	Bluish Green	Orange	Purplish
<b>x: CIE31</b>	0.3128	0.3125	0.3127	0.3137	0.3126	0.2578	0.3985	0.3787	0.2499	0.3405	0.2672	0.2635	0.5144	0.2159
<b>y: CIE31</b>	0.3295	0.3293	0.3296	0.3306	0.3297	0.2564	0.3645	0.3565	0.2666	0.4252	0.2518	0.3637	0.4063	0.1925
<b>Y</b>	200.0733	158.4881	128.9101	98.3834	68.4700	0.1768	20.2733	69.8214	37.7204	25.7331	46.6709	84.6677	56.1946	23.5858
<b>Target x:CIE31</b>	0.3127	0.3127	0.3127	0.3127	0.3127	0.3127	0.4003	0.3795	0.2496	0.3395	0.2681	0.2626	0.5122	0.2166
<b>Target y:CIE31</b>	0.3290	0.3290	0.3290	0.3290	0.3290	0.3290	0.3642	0.3562	0.2656	0.4271	0.2525	0.3616	0.4063	0.1920
<b>Target Y</b>	200.0733	158.3176	127.5661	98.2402	68.4080	0.0000	20.1540	69.8159	37.4105	26.0745	46.6541	83.7767	56.7164	23.5164
<b>ΔE 2000</b>	0.3824	0.3246	0.5194	0.7029	0.4402	1.1333	0.3567	0.2897	0.3129	0.4696	0.2497	0.5249	0.2744	0.3107
<b>ΔE ITP</b>	0.2131	0.2246	0.8072	0.6849	0.3336	58.3878	1.0189	0.5790	0.6271	1.2266	0.6010	1.0452	1.4394	0.8058



# Saturation: OSD Standard Profile calibrated

ASUS MX25AQ - sRGB

Portrait Display Calman Ultimate | Target: Avg. DeltaE < 2.5 | Max. DeltaE < 4.5



## Saturation Sweeps



Avg dE2000: 0.4


Max dE2000: 1.7

Current Reading

x: 0.4204 y: 0.5071

fL: 28.01

cd/m<sup>2</sup>: 95.96



	20%	40%	60%	80%	100%
<b>x: CIE31</b>	0.3347	0.3565	0.3782	0.3980	0.4204
<b>y: CIE31</b>	0.3654	0.4000	0.4362	0.4680	0.5071
<b>Y</b>	101.6628	99.7373	98.8460	97.6321	95.9598
<b>Target x:CIE31</b>	0.3344	0.3564	0.3773	0.3969	0.4193
<b>Target y:CIE31</b>	0.3648	0.4013	0.4358	0.4682	0.5053
<b>Target Y</b>	101.9997	100.2093	98.8337	97.7540	96.7103
<b>ΔE 2000</b>	0.1407	0.3472	0.1832	0.2576	0.2770
<b>ΔE ITP</b>	0.3332	0.6647	0.4859	0.5821	1.4288