


# Gray Scale: OSD Game 1 calibrated

Dell AW2725DF – sRGB/DCI-P3/Adobe RGB


Portrait Display Calman Ultimate | Target: Avg. DeltaE < 2.0 | CCT 6500K | Gamma 2.2




## Grayscale - Multi




Avg dE2000: 0.6




Avg CCT: 6574



Contrast Ratio: 145151




Average Gamma: 2.173



### Current Reading

x: 0.3121    y: 0.3286  
 u': 0.1975    v': 0.468  
 cd/m<sup>2</sup>: 200.6868  
 ΔE 2000: 0.35



	0	5	10	15	20	25	30	35	40	45	50	55	60	65
x: CIE31	0.3733	0.3185	0.3066	0.3095	0.3086	0.3134	0.3109	0.3113	0.3126	0.3110	0.3124	0.3111	0.3123	0.3122
y: CIE31	0.3436	0.3301	0.3244	0.3279	0.3267	0.3291	0.3278	0.3259	0.3294	0.3274	0.3288	0.3275	0.3280	0.3275
Y	0.0014	0.7326	1.9518	3.7986	6.6033	10.2926	14.5731	20.2019	26.8216	35.0330	43.9741	52.9789	64.7470	77.5490
Target Y	0.0000	0.8077	2.0731	3.8898	6.6437	10.2891	14.5040	20.0484	26.6649	34.4060	43.3204	52.6303	63.9281	76.5271
Gamma Log/Log	1.2778	1.8858	2.0292	2.0839	2.1213	2.1487	2.1665	2.1812	2.1964	2.1919	2.2027	2.2212	2.2146	2.2150
CCT	3967.0000	6185.0000	6891.0000	6693.0000	6750.0000	6467.0000	6613.0000	6604.0000	6508.0000	6610.0000	6520.0000	6606.0000	6532.0000	6546.0000
ΔE 2000	0.0073	0.4004	0.7483	0.5642	0.7076	0.1671	0.4071	0.8868	0.2522	0.6527	0.3472	0.5933	0.5048	0.7802
ΔE ITP	5.6398	3.7371	3.2603	1.7378	1.7291	0.3129	0.8921	1.1617	0.4260	1.4990	1.0245	0.9961	0.9785	1.1336

# Color Space: OSD Game 1 calibrated

Dell AW2725DF - sRGB





Portrait Display Calman Ultimate | Target: 99 %



## Color Gamut

dE Formula: 2000

DeltaE 2000





## Current Reading

x: 0.3121 y: 0.3287

fL: 58.66

cd/m<sup>2</sup>: 200.99



	White	Red	Green	Blue	Cyan	Magenta	Yellow	100W
x: CIE31	0.3117	0.6424	0.2990	0.1493	0.2229	0.3201	0.4191	0.3121
y: CIE31	0.3278	0.3293	0.6052	0.0591	0.3273	0.1526	0.5087	0.3287
Y	106.2759	22.3777	76.4205	7.6732	83.5520	30.0554	98.6338	200.989
Target Y	104.7147	22.2682	74.8876	7.5589	82.4465	29.8271	97.1558	200.989
ΔE 2000	0.6115	0.2757	0.6350	0.3223	0.4926	0.3177	0.6224	0.3397
ΔE ITD	1.2286	2.1751	2.5546	2.4024	1.5000	1.2874	2.2706	0.2558

# ColorChecker: OSD Game 1 calibrated

Dell AW2725DF - sRGB





Portrait Display Calman Ultimate | Target: Avg. DeltaE < 2.5 | Max. DeltaE < 4.5



## ColorChecker

Display analysis is performed with the X-Rite/Pantone ColorChecker® target colors.

dE Formula: 2000



Avg dE2000: 0.49

Max dE2000: 1.88

Current Reading

x: 0.4489    y: 0.385

fL: 20.42

cd/m<sup>2</sup>: 69.97

	White	Gray 80	Gray 65	Gray 50	Gray 35	Black	Dark Skin	Light Skin	Blue Sky	Foliage	Blue Flower	Bluish Green	Orange	Purplish
<b>x: CIE31</b>	0.3120	0.3118	0.3108	0.3117	0.3124	0.3604	0.4035	0.3799	0.2484	0.3383	0.2670	0.2611	0.5144	0.2149
<b>y: CIE31</b>	0.3287	0.3298	0.3289	0.3284	0.3282	0.3173	0.3668	0.3558	0.2654	0.4316	0.2509	0.3614	0.4071	0.1904
<b>Y</b>	201.2272	149.1214	130.5454	100.4999	69.4976	0.0009	20.3498	70.8803	38.2844	26.4372	47.2763	85.1941	57.6142	23.8718
<b>Target x:CIE31</b>	0.3127	0.3127	0.3127	0.3127	0.3127	0.3127	0.4003	0.3795	0.2496	0.3395	0.2681	0.2626	0.5122	0.2166
<b>Target y:CIE31</b>	0.3290	0.3290	0.3290	0.3290	0.3290	0.3290	0.3642	0.3562	0.2656	0.4271	0.2525	0.3616	0.4063	0.1920
<b>Target Y</b>	201.2272	159.2307	128.3018	98.8067	68.8025	0.0000	20.2702	70.2186	37.6262	26.2248	46.9231	84.2599	57.0435	23.6520
<b>ΔE 2000</b>	0.4260	1.8841	1.2870	0.5639	0.4467	0.0054	0.5605	0.3135	0.6023	0.7379	0.3621	0.4234	0.4036	0.4023
<b>ΔE ITP</b>	0.4339	4.9806	1.7485	1.3472	0.7913	4.3621	1.5639	0.7711	1.4482	1.8955	0.9062	1.2032	1.7091	1.5389




# Saturation: OSD Game 1 calibrated

Dell AW2725DF - sRGB

Portrait Display Calman Ultimate | Target: Avg. DeltaE < 2.5 | Max. DeltaE < 4.5



## Saturation Sweeps



Avg dE2000: 0.53


Max dE2000: 0.92

Current Reading

x: 0.4189 y: 0.5087

fL: 28.76

cd/m<sup>2</sup>: 98.55



	20%	40%	60%	80%	100%
<b>x: CIE31</b>	0.3327	0.3564	0.3768	0.3974	0.4189
<b>y: CIE31</b>	0.3648	0.4030	0.4366	0.4706	0.5087
<b>Y</b>	103.9145	102.2814	101.0269	99.8684	98.5462
<b>Target x:CIE31</b>	0.3344	0.3564	0.3773	0.3969	0.4193
<b>Target y:CIE31</b>	0.3648	0.4013	0.4358	0.4682	0.5053
<b>Target Y</b>	102.3116	100.5158	99.1359	98.0530	97.0060
<b>ΔE 2000</b>	0.8279	0.6074	0.5133	0.5687	0.6410
<b>ΔE ITP</b>	1.4745	1.4643	1.4462	1.8242	2.2732



# Color Space: OSD Game 1 calibrated

Dell AW2725DF – DCI-P3

Portrait Display Calman Ultimate | Target: 99 %



## Color Gamut




## Current Reading

x: 0.312      y: 0.3285

fL: 58.63

cd/m<sup>2</sup>: 200.89



	White	Red	Green	Blue	Cyan	Magenta	Yellow	100W
x: CIE31	0.3117	0.6785	0.2629	0.1489	0.1982	0.3355	0.4365	0.3120
y: CIE31	0.3276	0.3177	0.6940	0.0593	0.3322	0.1499	0.5380	0.3285
Y	106.2179	24.2313	74.0285	8.5104	82.5935	32.6426	98.1815	200.89
Target Y	104.6613	23.9663	72.3974	8.2976	80.6950	32.2638	96.3637	200.89
ΔE 2000	0.7155	0.8917	0.6142	0.3956	0.6399	0.3709	0.5923	0.3870
ΔE ITD	1.2788	1.2251	0.2622	0.2117	1.0445	1.5005	1.0411	0.4274

# ColorChecker: OSD Game 1 calibrated

Dell AW2725DF – DCI-P3




Portrait Display Calman Ultimate | Target: Avg. DeltaE < 2.5 | Max. DeltaE < 4.5



## ColorChecker

Display analysis is performed with the X-Rite/Pantone ColorChecker® target colors.

dE Formula: 2000



Avg dE2000: 0.56

Max dE2000: 1.52

Current Reading

x: 0.4502    y: 0.384

fL: 20.51

cd/m<sup>2</sup>: 70.26

	White	Gray 80	Gray 65	Gray 50	Gray 35	Black	Dark Skin	Light Skin	Blue Sky	Foliage	Blue Flower	Bluish Green	Orange	Purplish
<b>x: CIE31</b>	0.3121	0.3117	0.3108	0.3116	0.3122	0.3852	0.4014	0.3787	0.2468	0.3364	0.2672	0.2600	0.5141	0.2139
<b>y: CIE31</b>	0.3286	0.3297	0.3289	0.3284	0.3279	0.3778	0.3575	0.3527	0.2671	0.4321	0.2534	0.3576	0.4070	0.1900
<b>Y</b>	200.7211	151.8145	130.5980	100.6402	69.5426	0.0011	19.7143	68.9532	38.5785	26.9283	46.9965	85.6340	57.7194	23.7171
<b>Target x:CIE31</b>	0.3127	0.3127	0.3127	0.3127	0.3127	0.3127	0.4006	0.3789	0.2489	0.3373	0.2674	0.2615	0.5113	0.2151
<b>Target y:CIE31</b>	0.3290	0.3290	0.3290	0.3290	0.3290	0.3290	0.3595	0.3537	0.2672	0.4270	0.2542	0.3561	0.4058	0.1927
<b>Target Y</b>	200.7211	158.8302	127.9791	98.5582	68.6294	0.0000	19.8291	68.6471	37.8257	26.3358	46.3732	83.6015	56.9704	23.6224
<b>ΔE 2000</b>	0.3403	1.5188	1.3292	0.6831	0.5742	0.0053	0.6216	0.3568	0.9329	0.8897	0.3509	0.8100	0.5493	0.3007
<b>ΔE ITP</b>	0.3699	3.4913	1.9230	1.6468	1.0420	5.0388	1.2016	0.5371	2.0225	2.3972	0.9846	2.1032	2.2381	1.2180




# Saturation: OSD Game 1 calibrated

Dell AW2725DF – DCI-P3

Portrait Display Calman Ultimate | Target: Avg. DeltaE < 2.5 | Max. DeltaE < 4.5



## Saturation Sweeps



Avg dE2000: 0.58


Max dE2000: 0.86

Current Reading

x: 0.4363    y: 0.538

fL: 28.67

cd/m<sup>2</sup>: 98.23



	20%	40%	60%	80%	100%
<b>x: CIE31</b>	0.3376	0.3619	0.3863	0.4102	0.4363
<b>y: CIE31</b>	0.3726	0.4121	0.4520	0.4952	0.5380
<b>Y</b>	103.7845	101.9387	100.7544	99.2340	98.2318
<b>Target x:CIE31</b>	0.3386	0.3620	0.3865	0.4114	0.4378
<b>Target y:CIE31</b>	0.3718	0.4105	0.4510	0.4922	0.5359
<b>Target Y</b>	101.8357	100.0219	98.5079	97.2594	96.1709
<b>ΔE 2000</b>	0.8209	0.5938	0.5660	0.7532	0.6567
<b>ΔE ITP</b>	1.5776	1.5348	1.6928	2.1466	2.0004





# Color Space: OSD Game 1 calibrated

Dell AW2725DF – Adobe RGB

Portrait Display Calman Ultimate | Target: 99 %





## Color Gamut



## Current Reading

x: 0.3121    y: 0.3288  
fL: 58.57  
cd/m<sup>2</sup>: 200.66



	White	Red	Green	Blue	Cyan	Magenta	Yellow	100W
x: CIE31	0.3118	0.6434	0.2338	0.1492	0.1821	0.3537	0.4262	0.3121
y: CIE31	0.3280	0.3291	0.6948	0.0590	0.3278	0.1708	0.5214	0.3288
Y	106.2896	31.2559	68.8199	7.9667	76.2633	39.2729	98.3513	200.66
Target Y	104.5442	31.0874	65.5863	7.8706	73.4569	38.9579	96.6737	200.66
ΔE 2000	0.5826	0.3975	2.4190	0.3037	1.2728	0.3925	0.6622	0.3291
ΔE ITD	1.2270	2.1032	0.0212	2.2402	5.5220	1.7467	2.2608	0.3291



# ColorChecker: OSD Game 1 calibrated

Dell AW2725DF – Adobe RGB




Portrait Display Calman Ultimate | Target: Avg. DeltaE < 2.5 | Max. DeltaE < 4.5



## ColorChecker

Display analysis is performed with the X-Rite/Pantone ColorChecker® target colors.

dE Formula: 2000



Avg dE2000: 0.58

Max dE2000: 2.37

Current Reading

x: 0.4481    y: 0.3833

fl: 20.37

cd/m<sup>2</sup>: 69.81

	White	Gray 80	Gray 65	Gray 50	Gray 35	Black	Dark Skin	Light Skin	Blue Sky	Foliage	Blue Flower	Bluish Green	Orange	Purplish
<b>x: CIE31</b>	0.3121	0.3118	0.3108	0.3118	0.3123	0.3503	0.4033	0.3823	0.2477	0.3374	0.2666	0.2604	0.5121	0.2136
<b>y: CIE31</b>	0.3287	0.3297	0.3287	0.3283	0.3276	0.3303	0.3668	0.3568	0.2675	0.4292	0.2522	0.3589	0.4083	0.1896
<b>Y</b>	200.8624	151.9803	130.4549	100.4403	69.3823	0.0009	20.3668	70.9124	38.0521	26.4816	46.9144	85.5464	57.0350	23.6855
<b>Target x:CIE31</b>	0.3127	0.3127	0.3127	0.3127	0.3127	0.3127	0.4020	0.3821	0.2498	0.3373	0.2674	0.2614	0.5101	0.2157
<b>Target y:CIE31</b>	0.3290	0.3290	0.3290	0.3290	0.3290	0.3290	0.3659	0.3573	0.2684	0.4256	0.2540	0.3581	0.4070	0.1915
<b>Target Y</b>	200.8624	158.9420	128.0692	98.6276	68.6777	0.0000	20.2380	70.4368	37.2772	26.1127	46.4132	84.2927	56.3370	23.5456
<b>ΔE 2000</b>	0.3367	1.5313	1.2065	0.5477	0.6763	0.0041	0.2427	0.2632	0.7412	0.5667	0.4264	0.4882	0.5204	0.4315
<b>ΔE ITP</b>	0.3604	3.4670	1.7888	1.4113	0.9081	4.4722	0.7464	0.5778	1.9637	1.5592	1.0621	1.3016	1.8649	1.7229



# Saturation: OSD Game 1 calibrated

Dell AW2725DF – Adobe RGB

Portrait Display Calman Ultimate | Target: Avg. DeltaE < 2.5 | Max. DeltaE < 4.5



## Saturation Sweeps



Avg dE2000: 0.64


Max dE2000: 2.41

Current Reading

x: 0.4258    y: 0.5215

fL: 28.79

cd/m<sup>2</sup>: 98.63



	20%	40%	60%	80%	100%
<b>x: CIE31</b>	0.3335	0.3582	0.3814	0.4042	0.4258
<b>y: CIE31</b>	0.3666	0.4063	0.4437	0.4814	0.5215
<b>Y</b>	103.8301	102.4462	100.8026	99.9949	98.6272
<b>Target x:CIE31</b>	0.3355	0.3588	0.3812	0.4037	0.4271
<b>Target y:CIE31</b>	0.3666	0.4053	0.4423	0.4794	0.5181
<b>Target Y</b>	102.1224	100.2511	98.8133	97.6277	96.5940
<b>ΔE 2000</b>	0.9463	0.6418	0.5356	0.6460	0.7560
<b>ΔE ITP</b>	1.6324	1.6778	1.5810	2.0821	2.4394